



Product Service

CERTIFICATE

No. B 072237 0101 Rev. 02

Holder of Certificate: **Shenzhen INVT Electric Co., Ltd.**
INVT Guangming Technology Building, Songbai Road
Matian, Guangming District
518106 Shenzhen
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:




Product: **Electronic frequency converter
(Frequency Inverter)**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 64105203041501

Valid until: 2025-07-08

Date, 2020-07-09


(Frank Zhu)

CERTIFICATE

No. B 072237 0101 Rev. 02

Model(s):

GD300-132G-4, GD300-160P-4, GD300-160G-4,
 GD300-185P-4, GD300-185G-4, GD300-200P-4,
 GD300-200G-4, GD300-220P-4, GD300-220G-4,
 GD300-250P-4, GD300-250G-4, GD300-280P-4,
 GD300-280G-4, GD300-315P-4, GD300-315G-4,
 GD300-350P-4, GD300-350G-4, GD300-355G-4,
 GD300-400P-4, GD300-400G-4, GD300-450G-4,
 GD300-500G-4, GD200-132G-4, GD200-160P-4,
 GD200-160G-4, GD200-185P-4, GD200-185G-4,
 GD200-200P-4, GD200-200G-4, GD200-220P-4,
 GD200-220G-4, GD200-250P-4, GD200-250G-4,
 GD200-280P-4, GD200-280G-4, GD200-315P-4,
 GD200-315G-4, GD200-350P-4, GD200-350G-4,
 GD200-400P-4, GD200-400G-4, GD200-500G-4,
 GD200A-132G-4, GD200A-160P-4, GD200A-160G-4,
 GD200A-185P-4, GD200A-185G-4, GD200A-200P-4,
 GD200A-200G-4, GD200A-220P-4, GD200A-220G-4,
 GD200A-250P-4, GD200A-250G-4, GD200A-280P-4,
 GD200A-280G-4, GD200A-315P-4, GD200A-315G-4,
 GD200A-350P-4, GD200A-350G-4, GD200A-400P-4,
 GD200A-355G-4, GD200A-400G-4, GD200A-450G-4,
 GD200A-500G-4, GD200A-132G/160P-4,
 GD200A-160G/185P-4, GD200A-185G/200P-4,
 GD200A-200G/220P-4, GD200A-220G/250P-4,
 GD200A-250G/280P-4, GD200A-280G/315P-4,
 GD200A-315G/355P-4, GD200A-355G/400P-4,
 GD350A-132G/160P-4, GD350A-160G/185P-4,
 GD350A-185G/200P-4, GD350A-200G/220P-4,
 GD350A-220G/250P-4, GD350A-250G/280P-4,
 GD350A-280G/315P-4, GD350A-315G/355P-4,
 GD350A-355G/400P-4, GD350A-400G/450P-4,
 GD350A-450G/500P-4, GD350A-500G-4

Brand Name:

invnt



CERTIFICATE

No. B 072237 0101 Rev. 02

Parameters:

Rated Input:	See below table for details
Rated Output:	See below table for details
Installation:	BDM
Protection Class:	I
Degree of Protection:	IP20

Remarks:

- When installing the equipment, all requirements of the mentioned standard must be fulfilled and it should be suitably installed in closed electrical operation area, and fire/mechanical protection enclosure shall be provided.
- Maximum operating temperature is 40°C.
- The input and output circuits were considered as DVC C circuits and signal circuit was considered as DVC A circuit.
- TN-S, TN-C, TN-C-S and TT (not corner earthed) power systems were evaluated.
- The frequency inverter has no overcurrent protective device. For safe operation, a suitable external circuit breaker must be employed before installation.

Model No.	Rated Input	Rated Output
GD300-132G-4	3 PH, 380-480V, 47-63Hz, 265.0A	3 PH, 0-Uinput, 0-400Hz, 260.0A, 132.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 265.0A	
GD300-160P-4	3 PH, 380-480V, 47-63Hz, 310.0A	3 PH, 0-Uinput, 0-400Hz, 305.0A, 160.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 310.0A	
GD300-160G-4	3 PH, 380-480V, 47-63Hz, 310.0A	3 PH, 0-Uinput, 0-400Hz, 305.0A, 160.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 310.0A	
GD300-185P-4	3 PH, 380-480V, 47-63Hz, 345.0A	3 PH, 0-Uinput, 0-400Hz, 340.0A, 185.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 345.0A	
GD300-185G-4	3 PH, 380-480V, 47-63Hz, 345.0A	3 PH, 0-Uinput, 0-400Hz, 340.0A, 185.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 345.0A	
GD300-200P-4	3 PH, 380-480V, 47-63Hz, 385.0A	3 PH, 0-Uinput, 0-400Hz, 380.0A, 200.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 385.0A	
GD300-200G-4	3 PH, 380-480V, 47-63Hz, 385.0A	3 PH, 0-Uinput, 0-400Hz, 380.0A, 200.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 385.0A	
GD300-220P-4	3 PH, 380-480V, 47-63Hz, 430.0A	3 PH, 0-Uinput, 0-400Hz, 425.0A, 220.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 430.0A	
GD300-220G-4	3 PH, 380-480V, 47-63Hz, 430.0A	3 PH, 0-Uinput, 0-400Hz, 425.0A, 220.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 430.0A	
GD300-250P-4	3 PH, 380-480V, 47-63Hz, 485.0A	3 PH, 0-Uinput, 0-400Hz, 480.0A, 250.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 485.0A	
GD300-250G-4	3 PH, 380-480V, 47-63Hz, 485.0A	3 PH, 0-Uinput, 0-400Hz, 480.0A, 250.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 485.0A	

CERTIFICATE

No. B 072237 0101 Rev. 02

GD300-280P-4	3 PH, 380-480V, 47-63Hz, 545.0A	3 PH, 0-Uinput, 0-400Hz, 530.0A, 280.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 545.0A	
GD300-280G-4	3 PH, 380-480V, 47-63Hz, 545.0A	3 PH, 0-Uinput, 0-400Hz, 530.0A, 280.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 545.0A	
GD300-315P-4	3 PH, 380-480V, 47-63Hz, 610.0A	3 PH, 0-Uinput, 0-400Hz, 600.0A, 315.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 610.0A	
GD300-315G-4	3 PH, 380-480V, 47-63Hz, 610.0A	3 PH, 0-Uinput, 0-400Hz, 600.0A, 315.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 610.0A	
GD300-350P-4	3 PH, 380-480V, 47-63Hz, 625.0A	3 PH, 0-Uinput, 0-400Hz, 650.0A, 350.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625.0A	
GD300-350G-4	3 PH, 380-480V, 47-63Hz, 625.0A	3 PH, 0-Uinput, 0-400Hz, 650.0A, 350.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625.0A	
GD300-355G-4	3 PH, 380-480V, 47-63Hz, 625.0A	3 PH, 0-Uinput, 0-400Hz, 650.0A, 355.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625.0A	
GD300-400P-4	3 PH, 380-480V, 47-63Hz, 715.0A	3 PH, 0-Uinput, 0-400Hz, 720.0A, 400.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 715.0A	
GD300-400G-4	3 PH, 380-480V, 47-63Hz, 715.0A	3 PH, 0-Uinput, 0-400Hz, 820.0A, 400.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 715.0A	
GD300-450G-4	3 PH, 380-480V, 47-63Hz, 840.0A	3 PH, 0-Uinput, 0-400Hz, 820.0A, 450.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 840.0A	
GD300-500G-4	3 PH, 380-480V, 47-63Hz, 890.0A	3 PH, 0-Uinput, 0-400Hz, 860.0A, 500.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 890.0A	

Model No.	Rated Input	Rated Output
GD200-132G-4	3 PH, 380-480V, 47-63Hz, 265.0A	3 PH, 0-Uinput, 0-400Hz, 260.0A, 132.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 265.0A	
GD200-160P-4	3 PH, 380-480V, 47-63Hz, 310.0A	3 PH, 0-Uinput, 0-400Hz, 305.0A, 160.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 310.0A	
GD200-160G-4	3 PH, 380-480V, 47-63Hz, 310.0A	3 PH, 0-Uinput, 0-400Hz, 305.0A, 160.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 310.0A	
GD200-185P-4	3 PH, 380-480V, 47-63Hz, 345.0A	3 PH, 0-Uinput, 0-400Hz, 340.0A, 185.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 345.0A	
GD200-185G-4	3 PH, 380-480V, 47-63Hz, 345.0A	3 PH, 0-Uinput, 0-400Hz, 340.0A, 185.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 345.0A	

CERTIFICATE

No. B 072237 0101 Rev. 02

GD200-200P-4	3 PH, 380-480V, 47-63Hz, 385.0A	3 PH, 0-Uinput, 0-400Hz, 380.0A, 200.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 385.0A	
GD200-200G-4	3 PH, 380-480V, 47-63Hz, 385.0A	3 PH, 0-Uinput, 0-400Hz, 380.0A, 200.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 385.0A	
GD200-220P-4	3 PH, 380-480V, 47-63Hz, 430.0A	3 PH, 0-Uinput, 0-400Hz, 425.0A, 220.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 430.0A	
GD200-220G-4	3 PH, 380-480V, 47-63Hz, 430.0A	3 PH, 0-Uinput, 0-400Hz, 425.0A, 220.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 430.0A	
GD200-250P-4	3 PH, 380-480V, 47-63Hz, 485.0A	3 PH, 0-Uinput, 0-400Hz, 480.0A, 250.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 485.0A	
GD200-250G-4	3 PH, 380-480V, 47-63Hz, 485.0A	3 PH, 0-Uinput, 0-400Hz, 480.0A, 250.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 485.0A	
GD200-280P-4	3 PH, 380-480V, 47-63Hz, 545.0A	3 PH, 0-Uinput, 0-400Hz, 530.0A, 280.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 545.0A	
GD200-280G-4	3 PH, 380-480V, 47-63Hz, 545.0A	3 PH, 0-Uinput, 0-400Hz, 530.0A, 280.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 545.0A	
GD200-315P-4	3 PH, 380-480V, 47-63Hz, 610.0A	3 PH, 0-Uinput, 0-400Hz, 600.0A, 315.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 610.0A	
GD200-315G-4	3 PH, 380-480V, 47-63Hz, 610.0A	3 PH, 0-Uinput, 0-400Hz, 600.0A, 315.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 610.0A	
GD200-350P-4	3 PH, 380-480V, 47-63Hz, 625.0A	3 PH, 0-Uinput, 0-400Hz, 650.0A, 350.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625.0A	
GD200-350G-4	3 PH, 380-480V, 47-63Hz, 625.0A	3 PH, 0-Uinput, 0-400Hz, 650.0A, 350.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625.0A	
GD200-400P-4	3 PH, 380-480V, 47-63Hz, 715.0A	3 PH, 0-Uinput, 0-400Hz, 720.0A, 400.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 715.0A	
GD200-400G-4	3 PH, 380-480V, 47-63Hz, 715.0A	3 PH, 0-Uinput, 0-400Hz, 720.0A, 400.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 715.0A	
GD200-500G-4	3 PH, 380-480V, 47-63Hz, 890.0A	3 PH, 0-Uinput, 0-400Hz, 860.0A, 500.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 890.0A	

CERTIFICATE

No. B 072237 0101 Rev. 02

Model No.	Rated Input	Rated Output
GD200A-132G-4	3 PH, 380-480V, 47-63Hz, 265.0A	3 PH, 0-Uinput, 0-400Hz, 260.0A, 132.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 265.0A	
GD200A-160P-4	3 PH, 380-480V, 47-63Hz, 310.0A	3 PH, 0-Uinput, 0-400Hz, 305.0A, 160.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 310.0A	
GD200A-132G/160P-4	3 PH, 380-480V, 47-63Hz, 265/310A	3 PH, 0-Uinput, 0-400Hz, 260/305A, 132/160kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 265/310A	
GD200A-160G-4	3 PH, 380-480V, 47-63Hz, 310.0A	3 PH, 0-Uinput, 0-400Hz, 305.0A, 160.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 310.0A	
GD200A-185P-4	3 PH, 380-480V, 47-63Hz, 345.0A	3 PH, 0-Uinput, 0-400Hz, 340.0A, 185.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 345.0A	
GD200A-160G/185P-4	3 PH, 380-480V, 47-63Hz, 310/345A	3 PH, 0-Uinput, 0-400Hz, 305/340A, 160/185kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 310/345A	
GD200A-185G-4	3 PH, 380-480V, 47-63Hz, 345.0A	3 PH, 0-Uinput, 0-400Hz, 340.0A, 185.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 345.0A	
GD200A-200P-4	3 PH, 380-480V, 47-63Hz, 385.0A	3 PH, 0-Uinput, 0-400Hz, 380.0A, 200.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 385.0A	
GD200A-185G/200P-4	3 PH, 380-480V, 47-63Hz, 345/385A	3 PH, 0-Uinput, 0-400Hz, 340/380A, 185/200kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 345/385A	
GD200A-200G-4	3 PH, 380-480V, 47-63Hz, 385.0A	3 PH, 0-Uinput, 0-400Hz, 380.0A, 200.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 385.0A	
GD200A-220P-4	3 PH, 380-480V, 47-63Hz, 430.0A	3 PH, 0-Uinput, 0-400Hz, 425.0A, 220.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 430.0A	
GD200A-200G/220P-4	3 PH, 380-480V, 47-63Hz, 385/430A	3 PH, 0-Uinput, 0-400Hz, 380/425A, 200/220kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 385/430A	
GD200A-220G-4	3 PH, 380-480V, 47-63Hz, 430.0A	3 PH, 0-Uinput, 0-400Hz, 425.0A, 220.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 430.0A	
GD200A-250P-4	3 PH, 380-480V, 47-63Hz, 485.0A	3 PH, 0-Uinput, 0-400Hz, 480.0A, 250.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 485.0A	
GD200A-220G/250P-4	3 PH, 380-480V, 47-63Hz, 430/485A	3 PH, 0-Uinput, 0-400Hz, 425/480A, 220/250kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 430/485A	

CERTIFICATE

No. B 072237 0101 Rev. 02

GD200A-250G-4	3 PH, 380-480V, 47-63Hz, 485.0A	3 PH, 0-Uinput, 0-400Hz, 480.0A, 250.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 485.0A	
GD200A-280P-4	3 PH, 380-480V, 47-63Hz, 545.0A	3 PH, 0-Uinput, 0-400Hz, 530.0A, 280.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 545.0A	
GD200A-250G/280P-4	3 PH, 380-480V, 47-63Hz, 485/545A	3 PH, 0-Uinput, 0-400Hz, 480/530A, 250/280kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 485/545A	
GD200A-280G-4	3 PH, 380-480V, 47-63Hz, 545.0A	3 PH, 0-Uinput, 0-400Hz, 530.0A, 280.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 545.0A	
GD200A-315P-4	3 PH, 380-480V, 47-63Hz, 610.0A	3 PH, 0-Uinput, 0-400Hz, 600.0A, 315.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 610.0A	
GD200A-280G/315P-4	3 PH, 380-480V, 47-63Hz, 545/610A	3 PH, 0-Uinput, 0-400Hz, 530/600A, 280/315kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 545/610A	
GD200A-315G-4	3 PH, 380-480V, 47-63Hz, 610.0A	3 PH, 0-Uinput, 0-400Hz, 600.0A, 315.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 610.0A	
GD200A-350P-4	3 PH, 380-480V, 47-63Hz, 625.0A	3 PH, 0-Uinput, 0-400Hz, 650.0A, 350.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625.0A	
GD200A-315G/350P-4	3 PH, 380-480V, 47-63Hz, 610/625A	3 PH, 0-Uinput, 0-400Hz, 600/650A, 315/355kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 610/625A	
GD200A-350G-4	3 PH, 380-480V, 47-63Hz, 625.0A	3 PH, 0-Uinput, 0-400Hz, 650.0A, 350.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625.0A	
GD200A-355G-4	3 PH, 380-480V, 47-63Hz, 625.0A	3 PH, 0-Uinput, 0-400Hz, 650.0A, 355.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625.0A	
GD200A-400P-4	3 PH, 380-480V, 47-63Hz, 715.0A	3 PH, 0-Uinput, 0-400Hz, 720.0A, 400.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 715.0A	
GD200A-355G/400P-4	3 PH, 380-480V, 47-63Hz, 625/715A	3 PH, 0-Uinput, 0-400Hz, 650/720A, 355/400kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625/715A	
GD200A-400G-4	3 PH, 380-480V, 47-63Hz, 715.0A	3 PH, 0-Uinput, 0-400Hz, 720.0A, 400.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 715.0A	
GD200A-450G-4	3 PH, 380-480V, 47-63Hz, 840.0A	3 PH, 0-Uinput, 0-400Hz, 820.0A, 450.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 840.0A	
GD200A-500G-4	3 PH, 380-480V, 47-63Hz, 890.0A	3 PH, 0-Uinput, 0-400Hz, 860.0A, 500.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 890.0A	

CERTIFICATE

No. B 072237 0101 Rev. 02

Model No.	Rated Input	Rated Output
GD350A-132G/160P-4	3 PH, 380-480V, 47-63Hz, 265/310A	3 PH, 0-Uinput, 0-400Hz, 260/305A, 132/160kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 265/310A	
GD350A-160G/185P-4	3 PH, 380-480V, 47-63Hz, 310/345A	3 PH, 0-Uinput, 0-400Hz, 305/340A, 160/185kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 310/345A	
GD350A-185G/200P-4	3 PH, 380-480V, 47-63Hz, 345/385A	3 PH, 0-Uinput, 0-400Hz, 340/380A, 185/200kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 345/385A	
GD350A-200G/220P-4	3 PH, 380-480V, 47-63Hz, 385/430A	3 PH, 0-Uinput, 0-400Hz, 380/425A, 200/220kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 385/430A	
GD350A-220G/250P-4	3 PH, 380-480V, 47-63Hz, 430/460A	3 PH, 0-Uinput, 0-400Hz, 425/480A, 220/250kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 430/460A	
GD350A-250G/280P-4	3 PH, 380-480V, 47-63Hz, 460/500A	3 PH, 0-Uinput, 0-400Hz, 480/530A, 250/280kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 460/500A	
GD350A-280G/315P-4	3 PH, 380-480V, 47-63Hz, 500/580A	3 PH, 0-Uinput, 0-400Hz, 530/600A, 280/315kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 500/580A	
GD350A-315G/355P-4	3 PH, 380-480V, 47-63Hz, 580/625A	3 PH, 0-Uinput, 0-400Hz, 600/650A, 315/355kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 580/625A	
GD350A-355G/400P-4	3 PH, 380-480V, 47-63Hz, 625/715A	3 PH, 0-Uinput, 0-400Hz, 650/720A, 355/400kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625/715A	
GD350A-400G/450P-4	3 PH, 380-480V, 47-63Hz, 715/840A	3 PH, 0-Uinput, 0-400Hz, 720/820A, 400/450kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 715/840A	
GD350A-450G/500P-4	3 PH, 380-480V, 47-63Hz, 840/890A	3 PH, 0-Uinput, 0-400Hz, 820/860A, 450/500kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 840/890A	
GD350A-500G-4	3 PH, 380-480V, 47-63Hz, 890.0A	3 PH, 0-Uinput, 0-400Hz, 860.0A, 500.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 890.0A	

Tested according to: EN 61800-5-1:2007/A1:2017

Production Facility(ies): 096972