

The information in this document is subject to change without notice and should not be construed as a commitment by ABB. ABB assumes no responsibility for any errors that may appear in this document.

Except as may be expressly stated anywhere in this document, nothing herein shall be construed as any kind of guarantee or warranty by ABB for losses, damages to persons or property, fitness for a specific purpose or the like.

In no event shall ABB be liable for incidental or consequential damages arising from use of this document.

This document and parts thereof must not be reproduced or copied without ABB's written permission, and contents thereof must not be imparted to a third party nor be used for any unauthorized purpose. Contravention will be prosecuted.


Additional copies of this document may be obtained from ABB at its then current charge.

© Copyright 2014 ABB ALL right reserved.

ABB Engineering (Shanghai)
No. 5, Lane 369, Chuangye Rd, Kangqiao Town
Pudong District, Shanghai, 201319
P.R.China

Latest revision:				Lab/Office:	COPYRIGHT	Status:	Plant: =		
				Approved		Location: +			
							Sublocation: +		
Prepared by, date: CNYAWU2		Approved by, date:				Document no.		Rev. Ind	Page 1
						3HAC049406-003		00	Next 2
									Total 48

We reserve all rights in this document and in the information contained therein. Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



Customer	:	
	:	
Drawing number	:	
Drawing version	:	
Manufacture	:	
Type	:	
Type of installation	:	
Control cabinet	:	
Mains voltage	:	
Supply	:	
Control voltage	:	
Year of construction	:	
Project start	:	
Project manager	:	
Last revision	:	
Designed by	:	
Designed date	:	
Number of pages	:	
	:	

Table of contents


Plant	Location	Page	Page description	Page supplementary field	Date	Editor
		1	COPYRIGHT		10/8/2014	CNYAWU2
		2	TITLE PAGE		10/8/2014	CNYAWU2
		3	Table of contents:		10/8/2014	CNYAWU2
		4	Table of contents:		10/8/2014	CNYAWU2
		5	REVISION INFORMATION		10/8/2014	CNYAWU2
		6	Front View		10/8/2014	CNYAWU2
		7	Top View		10/8/2014	CNYAWU2
		8	Side View		10/8/2014	CNYAWU2
		9	BLOCK DIAGRAM		10/8/2014	CNYAWU2
		10	MAIN POWER INPUT		10/8/2014	CNYAWU2
		11	POWER SUPPLY DSQC 661 AND 662		10/8/2014	CNYAWU2
		12	EMERGENCY STOP		10/8/2014	CNYAWU2
		13	RUN CHAIN OPERATING		10/8/2014	CNYAWU2
		14	SAFETY STOP		10/8/2014	CNYAWU2
		15	POWER UNIT		10/8/2014	CNYAWU2
		16	RUN CHAIN EXT OPERATING MODE SELECTOR, 2MODES		10/8/2014	CNYAWU2
		17	FPU, FLEXPENDANT		10/8/2014	CNYAWU2
		18	Main Computer/AnybusCC/RS232 Exp./Interface Board/		10/8/2014	CNYAWU2
		19	MAIN COMPUTER A31 DSQC1000		10/8/2014	CNYAWU2
		20	MAIN COMPUTER A31 DSQC1000 ; A32 DSQC1003		10/8/2014	CNYAWU2
		21	FIELDBUS ADAPTER A32:		10/8/2014	CNYAWU2
		22	DEVICENET A31.2 m/s DSQC1006		10/8/2014	CNYAWU2
		23	DIGITAL I/O UNIT INPUT		10/8/2014	CNYAWU2
		24	DIGITAL I/O UNIT OUTPUT		10/8/2014	CNYAWU2
		25	DIGITAL PART OF COMBI I/O AND		10/8/2014	CNYAWU2
		26	DIGITAL I/O UNIT DSQC652		10/8/2014	CNYAWU2
		27	COMBI I/O UNIT DSQC651		10/8/2014	CNYAWU2
		28	RELAY I/O UNIT DSQC653		10/8/2014	CNYAWU2
		29	RELAY I/O UNIT DSQC653		10/8/2014	CNYAWU2
		30	REMOTE I/O UNIT DSQC350A		10/8/2014	CNYAWU2

ABB_table_of_contents


1		2		3		4		5		6		7		8	
Rev 00 2014 10 – New															

We reserve all rights in this document and in the information contained therein.Reproduction , use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB

We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



SECTION A-A
SCALE 1 : 2.5




Latest revision:	
Prepared by, date: CNYAWU2	Approved by, date:

	Lab/Office:

Front View

Status: Approved	Plant: Location: Sublocation:	= + +
Document no. 3HAC049406-003	Rev. Ind 00	Page 6 Next 7 Total 48

We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



Latest revision:



Prepared by, date: CNYAWU2 Approved by, date:

ABB Lab/Office:

Top View

Status:	Plant:	Rev. Ind	Page 7
Approved	Location: +	00	Next 8
Document no.	Sublocation: +		Total 48
3HAC049406-003			

We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB




Latest revision:	
Prepared by, date: CNYAWU2	Approved by, date:

	Lab/Office:


Side View

Status:	Plant: =	
Approved	Location: +	
	Sublocation: +	
Document no. 3HAC049406-003	Rev. Ind	Page 8
	00	Next 9
		Total 48


We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB




Latest revision:				Lab/Office:	POWER SUPPLY DSQC 661 AND 662	Status:		Plant: =	
						Approved		Location: +	
Prepared by, date: CNYAWU2		Approved by, date:				Document no.		Rev. Ind	Page 11
						3HAC049406-003			Next 12
								00	Total 48




Approved by, date:

We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB




We reserve all rights in this document and in the information contained therein. Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB

Wire No.	Single phase
24	P
25	N
27	P
28	N
2	P
4	N



Latest revision:

Prepared by, date: CNYAWU2 Approved by, date:

ABB Lab/Office:

POWER UNIT
SERVO DISCONNECTOR

Status: Approved


Plant: =
Location: +
Sublocation: +

Document no. 3HAC049406-003

Rev. Ind 00

Page 15
Next 16
Total 48

We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



Lab/Office:

RUN CHAIN EXT OPERATING MODE SELECTOR, 2MODES

Status:

Approved

Document no.

3HAC049406-003

Plant:

Location: +
Sublocation: +


Rev. Ind

00


Page 16

Next 17


Total 48




We reserve all rights in this document and in the information contained therein. Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB




We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB




We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB




OPTION & HARNESS TO CUSTOMER I/O


We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



Latest revision:

Prepared by, date: CNYAWU2 Approved by, date:

ABB

Lab/Office:

DIGITAL I/O UNIT OUTPUT

Status: Approved


Plant: =
Location: +
Sublocation: +

Document no. 3HAC049406-003


Rev. Ind 00

Page 24
Next 25
Total 48


We reserve all rights in this document and in the information contained therein. Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB




We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB




We reserve all rights in this document and in the information contained therein. Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB




- 1) JUMPERS PLACED ACCORDING TO THE ACTUAL NODE ADDRESS.
- 2) RESISTANS 120 OHM SHALL ALWAYS BE CONNECTED IN THE FIRST AND THE LAST CONNECTOR IN THE CAN-BUS CIRCUIT.
- 3) CONNECTED IN THE LAST CONNECTOR IN THE CAN-BUS CIRCUIT.

We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB




Latest revision:				Lab/Office:	RELAY I/O UNIT DSQC653	Status:	Plant: =		
						Approved	Location: +		
							Sublocation: +		
Prepared by, date: CNYAWU2		Approved by, date:				Document no.	Rev. Ind	Page 29	
						3HAC049406-003	00	Next 30	
								Total 48	


We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB




We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



We reserve all rights in this document and in the information contained therein. Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB




We reserve all rights in this document and in the information contained therein. Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB




- 1) JUMPERS PLACED ACCORDING TO THE ACTUAL NODE ADDRESS.
- 2) RESISTANS 120 OHM SHALL ALWAYS BE CONNECTED IN THE FIRST AND THE LAST CONNECTOR IN THE CAN-BUS CIRCUIT.
- 3) CONNECTED IN THE LAST CONNECTOR IN THE CAN-BUS CIRCUIT.

We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB


Robot controller




We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



Latest revision:

Prepared by, date: CNYAWU2 Approved by, date:

ABB Lab/Office:

AXIS COMPUTER UNIT

Status: Approved


Plant: =
Location: +
Sublocation: +

Document no. 3HAC049406-003

Rev. Ind 00


Page 37
Next 38
Total 48

We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB




Wire No.	Single phase
27	P
28	N
29	

We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



Latest revision:			Lab/Office:	FAN UNIT	Status:	Plant: =
					Approved	Location: +
Prepared by, date: CNYAWU2	Approved by, date:				Document no.	Rev. Ind
					3HAC049406-003	00
						Page 39
						Next 40
						Total 48


We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



Latest revision:				Lab/Office:	REMOTE SERVICE BOX DSQC680	Status:	Plant: =		
				Approved		Location: +			
						Sublocation: +			
Prepared by, date: CNYAWU2		Approved by, date:				Document no.	Rev. Ind	Page 40	
						3HAC049406-003	00	Next 41	
								Total 48	


We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB

IRB 120 cabinet module



Latest revision:			Lab/Office:	SERVO DRIVE SYSTEM IRB 120	Status:	Plant: =		
					Approved	Location: + Sublocation: +		
Prepared by, date: CNYAWU2		Approved by, date:			Document no.		Rev. Ind	
					3HAC049406-003			
					00		Page 41	
							Next 42	
							Total 48	


We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



Latest revision:				Lab/Office:	CONTROL CABLE IRB 120	Status:	Plant: =		
						Approved	Location: + Sublocation: +		
Prepared by, date: CNYAWU2		Approved by, date:				Document no.		Rev. Ind	Page 42
						3HAC049406-003		00	Next 43 Total 48


We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB

IRB 140 cabinet module




Latest revision:			Lab/Office:	SERVO DRIVE SYSTEM IRB 140	Status:	Plant: =		
					Approved	Location: + Sublocation: +		
Prepared by, date: CNYAWU2		Approved by, date:			Document no.		Rev. Ind	Page 43
					3HAC049406-003		00	Next 44
					Total 48			

We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB

IRB 360 cabinet module



Latest revision:	
Prepared by, date: CNYAWU2	Approved by, date:




Lab/Office:


SERVO DRIVE SYSTEM IRB 360

Status:	Plant: =	
Approved	Location: +	
Document no.		Rev. Ind
3HAC049406-003		00
		Page 45
		Next 46
		Total 48

We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB



IRB 1200, 1410, 1600, 260 cabinet module



Latest revision:				Lab/Office:	SERVO DRIVE SYSTEM IRB 1200, 1410, 1600, 260	Status:	Plant: =	
						Approved	Location: +	
Prepared by, date: CNYAWU2		Approved by, date:				Document no.	Rev. Ind	Page 47
						3HAC049406-003		Next 48
						00		Total 48

We reserve all rights in this document and in the information contained therein.Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB

